



## 7077/4RG PROOF Mercury Cinque

Certified 5 levels self-loading stretcher with 4 swivel wheels - high version



### FEATURES

[Visit Mercury Cinque website](#)

**Mercury Cinque** high version. It is derived from one of the most successful projects in the field of rescue, certainly the Me.Ber product. Most appreciated, the Mercury 4RG. Mercury Cinque is intended to further extend the operational capabilities of the original model by introducing 5-level logic, five heights, as they are commonly called. Mercury Cinque is much more than an evolution though! It is the only five-height with a folding front trolley (on the other hand, what do you need a stretcher to help you load a patient from his bed, if you can't get through the narrow spaces of a house?) also the only one that guarantees you the maximum capacity of 250kg on all five levels.

#### 5 LEVELS

##### *Loading height - LOAD LEVEL:*

Loading on the vehicle, handling on the ground, final transfer to the emergency room or operating room, treatment or triage on the site.

##### *High rescue - HIGH LEVEL*

Suitable as a resting position. Ideal height for the placement of a spinalized patient.

##### *High Bed - INTERMEDIATE*

Typical height of a hospital bed or height suitable for seating ambulatory patients. Ideal height to transfer the patient from stretcher to chair and vice versa.

##### *Bed or Sofa - LOW LEVEL*

Typical height of a sofa or a bed. This height allows easy transfer of a collaborating patient and simplifies the transfer on the stretcher.

##### *Ground level rescue - BASE LEVEL*

At only 30cm from the ground, it allows all conventional operations with a maximum load of 250kg.

#### Mean features:

- 250 kg Maximum load capacity on all heights

#### Folding front trolley

Ergonomics for back pain: the stretcher controls and general ergonomics are designed not to overload the rescuer, especially to relieve the load on the back.

200mm wheels to overcome any roughness. Greater comfort for the patient and great safety for rescuers who can move easily even in the presence of uneven ground and surfaces.

4 swivel wheels for safe manoeuvring at all times. Mercury Cinque has all four swivel wheels. A simple command allows the unlocking of the rotation of the front wheels for maximum manoeuvrability.


Reflective decorations. To improve the visibility of the stretcher in the roadside assistance context at night, reflective stickers were used in various points.

Compatible with art. 955 fixing system.

## MAIN FEATURES

Usage	Transport
10G Certification	
Max loading height (cm)	71
Min loading height (cm)	69
Folded height (cm)	31
Length (cm)	197
Length with folded trolley (cm)	167
Width (cm)	57
Weight (kg)	49,5
Loading capacity (kg)	250
Multilevel	
Max height (cm)	101
Min height (cm)	37
Type	Self loading stretcher

## IMAGES



---

SEE ALSO

---



**Mercury 7070/4RG PROOF**  
Stainless steel variable height  
stretcher certified with 4 rotating  
wheels



**Mercury Lite 7080/4RG Proof**  
Ambulance cot in aluminium with  
variable height and four swivel  
castors



**Mercury Cinque 7075/4RG PROOF**  
Certified 5 levels self-loading  
stretcher with 4 swivel wheels



**Mercury EL 7092 PROOF**  
Certified self-loading stretcher



**Mercury EL 7094 PROOF**  
Certified self-loading stretcher -  
high version

---

## ACCESSORIES



**938**  
Oximeb oxygen cylinder holder



**939**  
Instrument support for stretchers



**955 PROOF**  
EN 1789 fixing system for Proof roll-in stretchers



**7014/A**  
4 pcs. Skay fire-proof electrowelded mattress



**12054**  
Oximeb Maxi - Oxygen cylinder holder



**608/N-MEB**  
2 pieces black belt with metallic hook and MeBer band (L. 155 cm)



**612/AN-2/MEB**  
Adjustable thoracic abdominal belt orange/black with MeBer band and 4 points fastening for self loading stretchers and sedan chairs



**12080**  
"MPB" wide bariatric platform for self-loading stretchers Frog Mercury and Gecko complete of belts with reel and fixing for stretcher



**12100/N**  
Black electrowelded shaped cushion with MeBer logo for electowelded mattresses



**12106**  
Mattress for AIR-COM stretchers - Anti-bedsores mattress with alternate segments



**12080-001**  
Monting kit for bariatric platform on self loading stretcher



**12018N**  
Telescopic foldable phlebotomy stand for self loading stretchers



**12154**  
"BEAR PODS" Bariatric containment system for self-loading stretchers



**12128**  
Adjustable system for headrest of Meber-X and Mercury stretchers



**12070/BR**  
COVER OX2-3 BR professional cylinder holder with belt and orange MeBer logo for 2 and 3 lt oxygen bottles



**12070/BG**  
"COVER OX 2-3 BG"- professional cylinder holder for 2 and 3 lt oxygen bottles



**12072/BR**



**12072/BG**



**608/A-MEB**  
2 pieces orange belt with metallic hook and MeBer band (L. 155 cm)



**612/N-2/MEB**  
Adjustable thoracic abdominal belt black with MeBer band with 4 points fastening for self loading stretchers and sedan chairs

"COVER OX 5 BR"- professional  
cylinder holder for 5 lt oxygen  
bottles

"COVER OX 5 BC"- professional  
cylinder holder for 5 lt oxygen  
bottles



**12025**

Black multi usage object holder for  
automatic loading stretcher



**707**

Red 6-handle fireproof cover with  
Me.Ber tape for self-loading  
stretcher



**12170**

Black mattress for right bariatric  
wing for self-loading stretchers




**12172**

Black mattress for left bariatric  
wing for self-loading stretchers



**12084-001**

Cover for bariatric wings set



**12200**

Bariatric wings set for Mercury self-  
loading stretchers complete with  
mattresses, belts with reel and  
assembly kit

## STANDARD ACCESSORIES



**7013/N**

3 pcs. Skay fire-proof electrowelded  
mattress



**612/N-2/MEB**

Adjustable thoracic abdominal belt  
black with MeBer band with 4  
points fastening for self loading  
stretchers and sedan chairs



**12025**

Black multi usage object holder for  
automatic loading stretcher



**608/N-MEB**

2 pieces black belt with metallic  
hook and MeBer band (L.155 cm)